

UNITED STATE DEPARTMENT OF COMMERCE Patent and Trademark Office

Address: COMMISSIONER OF PATENTS AND TRADEMARKS Washington, D.C. 20231

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR		AT	TORNEY DOCKET NO.
09/281,905	03/31/99	DONIG		R	2565/47
-		IM22/0316	コ	EXAMINER	
RICHARD L	MAYER ESQ	174227 0010		KIM,S	
KENYON & KENYON ONE BROADWAY				ART UNIT	PAPER NUMBER
NEW YORK N				1723	•
				DATE MAILED:	
					03/16/00

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner of Patents and Trademarks

Office Action Summary

Application No. 09/281,909

Applicant(s)

Donig et al.

Examiner

John Kim

Group Art Unit 1723

Responsive to communication(s) filed on Mar 31, 1999	
,	
This action is FINAL .	
Since this application is in condition for allowance except f in accordance with the practice under <i>Ex parte Quayle</i> , 19:	35 C.D. 11; 453 O.G. 213.
A shortened statutory period for response to this action is set is longer, from the mailing date of this communication. Failure application to become abandoned. (35 U.S.C. § 133). Extens 37 CFR 1.136(a).	e to respond within the period for response will cause the
Disposition of Claims	
	is/are pending in the application.
Of the above, claim(s)	is/are withdrawn from consideration.
☐ Claim(s)	
☐ Claim(s)	
☐ Claim(s)	
Application Papers	
See the attached Notice of Draftsperson's Patent Drawi	-
☐ The drawing(s) filed on is/are obje	
The proposed drawing correction, filed on	is 🗖 approved disapproved.
☐ The specification is objected to by the Examiner.	
☐ The oath or declaration is objected to by the Examiner.	
Priority under 35 U.S.C. § 119	
🛛 Acknowledgement is made of a claim for foreign priority	y under 35 U.S.C. § 119(a)-(d).
	of the priority documents have been
🛛 received.	
\square received in Application No. (Series Code/Serial No.	
\square received in this national stage application from th	e International Bureau (PCT Rule 17.2(a)).
*Certified copies not received:	
☐ Acknowledgement is made of a claim for domestic prio	rity under 35 U.S.C. § 119(e).
Attachment(s)	
□ Notice of References Cited, PTO-892	
☐ Information Disclosure Statement(s), PTO-1449, Paper	No(s)
☐ Interview Summary, PTO-413	
Notice of Draftsperson's Patent Drawing Review, PTO- □	948
☐ Notice of Informal Patent Application, PTO-152	
SEE OFFICE ACTION ON	THE FOLLOWING PAGES

Application Number: 09/281909 Page 2

Art Unit: 1723

1. Restriction to one of the following inventions is required under 35 U.S.C. 121:

- I. Claims 1-9, drawn to a dialysis machine, classified in class 210, subclass 321.71.
- II. Claims 10-12, drawn to a connector with identifier, classified in class 439, subclass 955.
- III. Claims 13-19, drawn to a method of detecting connection of a storage container, classified in class 210, subclass 739.
- 2. The inventions are distinct, each from the other because of the following reasons: Inventions I and II are related as combination and subcombination. Inventions in this relationship are distinct if it can be shown that (1) the combination as claimed does not require the particulars of the subcombination as claimed for patentability, and (2) that the subcombination has utility by itself or in other combinations (MPEP § 806.05(c)). In the instant case, the combination as claimed does not require the particulars of the subcombination as claimed because any other identifier can be used with a connector other than an electrically detectable identifier. The subcombination has separate utility such as identifying an object.
- 3. Inventions II and I are related as process and apparatus for its practice. The inventions are distinct if it can be shown that either: (1) the process as claimed can be practiced by another materially different apparatus or by hand, or (2) the apparatus as claimed can be used to practice another and materially different process. (MPEP § 806.05(e)). In this case the apparatus can be used to practice another and materially different process such as storing liquid in a container.

Application Number: 09/281909 Page 3

Art Unit: 1723

4. Inventions III and II are related as product and process of use. The inventions can be shown to be distinct if either or both of the following can be shown: (1) the process for using the product as claimed can be practiced with another materially different product or (2) the product as claimed can be used in a materially different process of using that product (MPEP § 806.05(h)). In the instant case the product as claimed can be used in a materially different process as a identifying a composition of an object.

- 5. Because these inventions are distinct for the reasons given above and have acquired a separate status in the art as shown by their different classification, restriction for examination purposes as indicated is proper.
- 6. Because these inventions are distinct for the reasons given above and have acquired a separate status in the art because of their recognized divergent subject matter, restriction for examination purposes as indicated is proper.
- 7. A telephone call was made to Mr. Richard Mayer on 3/13/00 to request an oral election to the above restriction requirement, but did not result in an election being made.

Applicant is advised that the reply to this requirement to be complete must include an election of the invention to be examined even though the requirement be traversed (37 CFR 1.143).

8. Applicant is reminded that upon the cancellation of claims to a non-elected invention, the inventorship must be amended in compliance with 37 CFR 1.48(b) if one or more of the currently named inventors is no longer an inventor of at least one claim remaining in the application. Any

Art Unit: 1723

amendment of inventorship must be accompanied by a petition under 37 CFR 1.48(b) and by the fee required under 37 CFR 1.17(i).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to John Kim whose telephone number is (703) 308-2350. The examiner can normally be reached on weekdays from 7:00 AM - 3:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wanda Walker, can be reached on (703) 308-0457. The fax phone number for official response after final action is (703) 305-3599, and the fax phone number for all other official faxes is (703) 305-7718.

When sending a draft amendment by fax, please mark the paper as "DRAFT"; otherwise, mark the paper "OFFICIAL". This will expedite the processing of the paper.

Any inquiry of a general nature or relating to the status of this application should be directed to the Group receptionist whose telephone number is (703) 308-0651.

✓ John Kim

Primary Examiner

Art Unit 1723